

?????? ?? ?????????? ?? ?????? ?????????????? ?????????? ?????? ??? ?? ?????????????? ???
 functionalities ?? ??? ?????????? ?????? ?????? ?????????????? ?????????? ?????????? ??? ?? ??????
 (??. ?? ????????? Asterisk). ?? ?? ?????????? ?????????????? ??????? ??? ?????????? ?? ??????????????
 ??? ??? ?????????????? ??????? ??????? ??? ?????????? ISDN ??? ??? ?????????????? ?????????? ???
 ?????????? ??????????????. ?? ????????????? failover, ?? ISDN ?????????? ?????????? ??
 ?????????????????? ?? ?? ?????????? ??????? PBX (????? ??????). </td> </tr>
 </table> <p>◆◆◆◆</p> <p>{tab=????????????????}</p> <table style="width:
 615px; background-color: #ffffff;" border="0" cellspacing="10" cellpadding="0"> <tr> <td <p
 style="font-family: arial; font-size: 12px;">????????????????</p> <ul
 style="font-family: Arial, Helvetica, sans-serif; font-size: 10pt;"> <li style="font-family: arial;
 font-size: 12px;"><span style="color: #777777; font-family: Arial, Verdana,
 'Helvetica san-serif'; line-height: 21px;">4x4RJ45 Ports to switch 4 BRI (8 BRI with
 BFTAdapters) or 4 PRI interfaces <li style="font-family: arial; font-size:
 12px;"><span style="color: #777777; font-family: Arial, Verdana, 'Helvetica san-serif';
 line-height: 21px;">All 8 pins of each RJ45 are switched <li style="font-family: arial;
 font-size: 12px;"><span style="color: #777777; font-family: Arial, Verdana, 'Helvetica san-serif';
 line-height: 21px;">Failover and bypass scenario selectable <li style="font-family:
 arial; font-size: 12px;"><span style="color: #777777; font-family: Arial, Verdana, 'Helvetica
 san-serif'; line-height: 21px;">Fully controllable over TCP/IP via Webinterface <li
 style="font-family: arial; font-size: 12px;"><span style="color: #777777; font-family: Arial,
 Verdana, 'Helvetica san-serif'; line-height: 21px;">Fully controlable via API for custom
 applications <li style="font-family: arial; font-size: 12px;"><span style="color:
 #777777; font-family: Arial, Verdana, 'Helvetica san-serif'; line-height: 21px;">Syslog Output to
 control the device for individual customer applications <li style="font-family: arial;
 font-size: 12px;"><span style="color: #777777; font-family: Arial, Verdana, 'Helvetica san-serif';
 line-height: 21px;">Onboard watchdog for automatic failover switching <li
 style="font-family: arial; font-size: 12px;"><span style="color: #777777; font-family: Arial,
 Verdana, 'Helvetica san-serif'; line-height: 21px;">Onboard e-mail notification in failover
 cases <li style="font-family: arial; font-size: 12px;"><span style="color: #777777;
 font-family: Arial, Verdana, 'Helvetica san-serif'; line-height: 21px;">2 switchable powerports on
 the rear of the device for remote reboot purposes <div style="text-align:
 left;"><span
 style="color: #be4048; font-family: Arial, Helvetica, sans-serif; font-size: small;"><span
 style="color: #be4048; font-family: Arial, Helvetica, sans-serif; font-size: small;"><span
 style="color: #be4048; font-family: Arial, Helvetica, sans-serif; font-size: small;"> <a href="images/stories/PDFs/berofos_user_manual.pdf"
 target="_blank"><span style="color: #be4048; font-family: Arial, Helvetica, sans-serif; font-size:
 small;"><span style="color: #be4048; font-family: Arial, Helvetica, sans-serif; font-size:
 small;">berofos Manual EN<br style="color: #777777; font-family: Arial,
 Verdana, 'Helvetica san-serif'; line-height: 21px;" /><a style="border-style: initial; border-color:
 initial; outline-style: none; outline-width: initial; outline-color: initial; color: #818181; font-family:
 Arial, Verdana, 'Helvetica san-serif'; line-height: 21px; border-width: 0px; padding: 0px; margin:
 0px;" href="http://www.beronet.com/downloads/docs/berofos/bntools.rar"> bntools for
Windows<br style="color: #777777; font-family: Arial, Verdana, 'Helvetica
san-serif'; line-height: 21px;" /><a style="font-family: Arial, Verdana, 'Helvetica san-serif';
line-height: 21px; color: #b90000; border-width: 0px; padding: 0px; margin: 0px;"
href="http://www.beronet.com/downloads/docs/berofos/bntools.tar.gz"> bntools for
Linux
 </div> </td> </tr> </table> <p>
{/tabs}</p>
```