

<p>{tab=?????????????????}</p> <table style="font-family: arial; width: 615px; background-color: #ffffff;" border="0" cellspacing="10" cellpadding="0"> <tr> <td style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;" valign="top"> <p style="padding-left: 0px; margin-left: 0px; font-family: arial; font-size: 12px;"><span style="font-family: tahoma, arial, helvetica, sans-serif; font-size: small;" data-mce-mark="1"></span> </p> </td> <td style="font-family: Arial, Helvetica, sans-serif; font-size: 10pt;" align="left" valign="top"> <p style="font-family: Arial, Verdana, 'Helvetica san-serif'; font-size: 10pt; line-height: 21px; color: #777777;"><span style="color: #000000;"><b>berofix - VoIP Gateway ??????? ??? ??????????</b></span> </p> <p style="font-family: arial, helvetica, sans-serif; font-size: 10pt; color: #616161;">?? Gateways ????? ??????? berofix ??? ???????? ?? ?????????? ??? ?? ?????????? ??? ?????????? ????? ?????????? ?? ?????????? (FXS / FXO), ???????? (BRI / PRI ISDN) ??? GSM ???????, ??? ??? ??? ?????? ??? ?????????? PCM ?????? ??? berofix Gateways ??? ?? ?????????? ???????? ??? hardware, ??? ??? ?????????? ?????? ??? ?????? ?????????? ???, ??????, ???????? ??? ????.<br />?? berofix Gateways ????? ??????? ??? ?????? ?????????? ?? ?????? SIP Servers, ????: 3CX, Asterisk, Freeswitch, FreePBX, Trixbox, Elastix, Gemeinschaft ??? ?????? ??????.</p> </td> </tr> </table> <p>◆</p> <table border="0" cellspacing="10" cellpadding="0" style="width: 615px; background-color: #ffffff;"> <tr> <td valign="top"> <p style="font-family: arial; font-size: 12px;"><span style="font-family: tahoma, arial, helvetica, sans-serif; font-size: small;" data-mce-mark="1"></span> </p> </td> <td align="left" valign="top" style="font-family: Arial, Helvetica, sans-serif; font-size: 10pt;"> <p style="font-family: Arial, Verdana, 'Helvetica san-serif'; font-size: 10pt; line-height: 21px; color: #777777;"><span style="color: #000000;"><strong>beroNet 16FXS Gateway</strong></span> </p> <p>To beroNet 16FXS Gateway ??? ?????????? ??? ?? ?????????? ??? ?????????? ??? ?????????? ?????????? ??? ?????????? ??? 16 ?????????? ?????????? (????????? fax) ??? IP ??????.<br />?? beroNet 16FXS Gateway ?????????????? ??? ???????????, ?????? ??? ?????????? ??? ?????????? ??? ?????????? ?????????? ??? ?????????? ?????????? FXS ?????? ??? ?? ?????? ?????? ?????? ?????????? ??????????</p> </td> </tr> </table> <p style="padding-left: 0px; margin-left: 0px; font-family: arial; font-size: 12px;">◆</p> <p style="padding-left: 0px; margin-left: 0px; font-family: arial; font-size: 12px;">{tab=?????????}</p> <table style="font-family: arial; width: 615px; background-color: #ffffff;" border="0" cellspacing="10" cellpadding="0"> <tr> <td style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;" align="center"> <p style="padding-left: 0px; margin-left: 0px; font-family: arial; font-size: 12px;"><strong></strong> </p> </td> <td style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;" align="center"> </td> <td style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;" align="center"> </td> </tr> <tr> <td style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;" align="center">



line-height: 21px;" data-mce-mark="1"><span style="color: #be4048;" data-mce-mark="1"><a href="images/stories/PDFs/Datasheet\_Box.pdf" target="\_blank"> </a> </span> <ul style="margin-top: 0px; margin-right: 0px; margin-bottom: 20px; margin-left: 0px; border-image: initial; list-style-type: none; list-style-position: inside; color: #777777; font-family: Arial, Verdana, 'Helvetica san-serif'; font-size: 12px; line-height: 21px; padding: 0px; border: 0px initial initial;"><span style="font-family: Arial, Verdana, 'Helvetica san-serif'; font-size: 12px; line-height: 21px; text-align: left; color: #bb0000;" data-mce-mark="1"><a href="images/stories/PDFs/Datasheet\_Box.pdf" target="\_blank"><span style="color: #be4048;" data-mce-mark="1">? Datasheet Basboard box</span> </a> </span> </ul> </span> <ul style="margin-top: 0px; margin-right: 0px; margin-bottom: 20px; margin-left: 0px; border-image: initial; list-style-position: inside; color: #777777; font-family: Arial, Verdana, 'Helvetica san-serif'; font-size: 12px; line-height: 21px; padding: 0px; border: 0px initial initial;"></ul> </td> </tr> </table> <p>◆</p> <table border="0" cellspacing="10" cellpadding="0" style="width: 615px; background-color: #ffffff;"> <tr> <td style="font-family: Arial, Helvetica, sans-serif; font-size: 10pt;"> <p style="font-family: arial; font-size: 12px;"><strong><span>?????????????◆<span style="color: #000000;"><strong style="color: #777777; font-family: Arial, Verdana, 'Helvetica san-serif'; font-size: 13px; line-height: 21px;">beroNet 16FXS Gateway</strong> </span> </span>:</strong> </p> <ul style="margin: 0px 0px 20px; list-style-position: inside; color: #777777; font-family: Arial, Verdana, 'Helvetica san-serif'; font-size: 12px; line-height: 21px; padding: 0px;"> <li style="margin-top: 0px; margin-right: 0px; margin-bottom: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">16 separate Analog FXS Ports</li> <li style="margin-top: 0px; margin-right: 0px; margin-bottom: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">FXS supports 0V to -94.5V</li> <li style="margin-top: 0px; margin-right: 0px; margin-bottom: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">FXS supports 3-5 REN (depending on line length)</li> <li style="margin-top: 0px; margin-right: 0px; margin-bottom: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">FXS has current feed 20-41 mA</li> <li style="margin-top: 0px; margin-right: 0px; margin-bottom: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">FXS Ringing Frequency, Amplitude, Waveshape and Cadences programmable (by country setting)</li> <li style="margin-top: 0px; margin-right: 0px; margin-bottom: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">G.168/G.165 Echo Cancellation with Echo Path Change Detection, 128ms</li> <li style="margin-top: 0px; margin-right: 0px; margin-bottom: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">Codecs: G.711, G.726, G.723, G.729</li> <li style="margin-top: 0px; margin-right: 0px; margin-bottom: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">T.38 fax relay (v.27ter, V.29, and V.17)</li> <li style="margin-top: 0px; margin-right: 0px; margin-bottom: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">TDM bridging over 2 beroNet devices through PCM bus</li> <li style="margin-top: 0px; margin-right: 0px; margin-bottom: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">CE compliance</li> </ul> <p style="padding-top: 0px; padding-right: 0px; padding-bottom: 0px; margin-top: 0px; margin-right: 0px; margin-bottom: 0px;"><strong>?????????:</strong> </p> <ul style="color: #999999; font-family: Arial, Tahoma, Verdana; line-height: 20.390625px; margin: 0px 0px 20px; padding: 0px; border: 0px; list-style-position: inside;"> <li style="margin: 0px; padding-top: 0px; padding-right: 0px;">

padding-bottom: 0px; border: 0px;">>10/100 Mbit LAN Port</li> <li style="margin: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">>Power supply: 110-230V operating 12V DC at 2A</li> <li style="margin: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">>PCM bus 8.192 kB/s</li> <li style="margin: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">>16 RJ45 ◆ Breakout</li> </ul><strong>????????? ??? ?????:</strong> <ul style="color: #999999; font-family: Arial, Tahoma, Verdana; line-height: 20.390625px; margin: 0px 0px 20px; padding: 0px; border: 0px; list-style-position: inside;"> <li style="margin: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">>????????? Gateway: 168 x 168 x 42mm, Breakout: 168 x 168 x 42mm</li> <li style="margin: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">>Mounting: 1U industry with optional 19◆ Brackets or wallmountable chassis</li> <li style="margin: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">>?????: Gateway 800g, Breakout: 700g</li> </ul><strong>?????????:</strong> <ul style="color: #999999; font-family: Arial, Tahoma, Verdana; line-height: 20.390625px; margin: 0px 0px 20px; padding: 0px; border: 0px; list-style-position: inside;"> <li style="margin: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">>????????? ??????????? -20◆ to 70◆C</li> <li style="margin: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">>????????? 0◆ to 40◆C</li> <li style="margin: 0px; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; border: 0px;">>????????? 20% - 95%, non-condensing</li> </ul> <p>◆</p> <ul style="margin: 0px 0px 20px; list-style-position: inside; color: #777777; font-family: Arial, Verdana, 'Helvetica sans-serif'; font-size: 12px; line-height: 21px; padding: 0px;"></ul> </td> </tr> </table> <p style="padding-left: 0px; margin-left: 0px; font-family: arial; font-size: 12px;">{tab=Modules & Accessories}</p> <table style="font-family: arial; width: 615px; background-color: #ffffff; border="0" cellspacing="10" cellpadding="0"> <tr> <td style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;"> <p style="padding-left: 0px; margin-left: 0px; font-family: arial; font-size: 12px;"><strong>Modules</strong> </p> <ul style="font-family: Arial, Verdana, 'Helvetica sans-serif'; font-size: 10pt; line-height: 21px; color: #777777;"> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">1 Port PRI Module (BF1E1)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">2 Port PRI Module (BF2E1)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">4 Port BRI Module (BF4S0)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">2/2 Port BRI/FXS Hybrid Module (BF2S02FXS)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">4 Port FXO Module (BF4FXO)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">4 Port FXS Module (BF4FXS)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">2 Port GSM Module (BF2GSM)</li> </ul><strong>Accessories</strong> <ul style="font-family: Arial, Verdana, 'Helvetica sans-serif'; font-size: 10pt; line-height: 21px; color: #777777;"> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">BFBridge (to use all 4 RJ45 slots on a Baseboard with one bf4S0,bf4FXS,bf4FXO,bf2S02FXS)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">BFTAdapters (to connect 2 BRI or analog Lines on one RJ45 of the berofix)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">BFPCM (PCM Cable to interconnect berofix Baseboards)</li>

<li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">BFE1Cross, (1.8m E1/T1 "cross-over" cable)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">BF19bracket (19 inch rack mount bracket for berofix Boxes)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">BFANTS (small 7 cm stock antenna for BF2GSM modules)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">BFANTL (2m cable antenna with magnetic foot for BF2GSM modules)</li> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">BFFXXCable (RJ45 to RJ11 cable to use with berofix analog modules)</li> </ul> <p style="padding-top: 0px; padding-right: 0px; padding-bottom: 0px; margin: 0px;">◆</p> </td> </tr> </table> <p style="padding-left: 0px; margin-left: 0px; font-family: arial; font-size: 12px;">{/tabs}</p>