

<p style="padding-left: 0px; margin-left: 0px; font-family: arial; font-size: 12px;">{tab=????????
 ??????????}</p> <table style="width: 615px; font-family: arial; background-color: #ffffff;"
 border="0" cellpadding="0" cellspacing="10"> <tr> <td style="font-size: 11px; padding-left:
 0px; padding-right: 5px; padding-bottom: 5px;" valign="top"> <p style="padding-left: 0px;
 margin-left: 0px; font-family: arial; font-size: 12px;"><span style="font-family: tahoma, arial,
 helvetica, sans-serif; font-size: small;"></p> </td>
 <td style="font-family: Arial, Helvetica, sans-serif; font-size: 10pt;"> <p style="font-family: Arial,
 Verdana, 'Helvetica san-serif'; font-size: 10pt; line-height: 21px; color: #777777; padding-top:
 0px; padding-right: 0px; padding-bottom: 20px; padding-left: 0px; margin: 0px;">? beronet Small
 Business Edition line ??? ???? ?????? ??? ?????? ?????????????, ??? ??
 ????????? ISDN (BRI) ??? ?????????? (FXO / FXS) ?????? ??? ????????????? SoftPBX ???
 3CX, Asterisk, Freeswitch, FreePBX, Trixbox, Elastix, Gemeinschaft ??? ?????? ???. ??
 ????????? ?? ?? ????????? berofix VoIP Gateways, ??? ??? beronet Small Business Edition
 line ??? ?????? ????????? ????? ?????????????????? ??? ?? ????? ?????????????????? ??? berofix. ??
 ????????? ??? beronet Small Business Edition line ????? ????????????? ????????????? 8
 ????????? ??????????</p> <ul style="margin-top: 0px; margin-right: 0px; margin-bottom: 20px;
 margin-left: 0px; border-image: initial; list-style-position: inside; color: #777777; font-family:
 Arial, Verdana, 'Helvetica san-serif'; font-size: 12px; line-height: 21px; padding: 0px; border: 0px
 initial initial;"> <li style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial
 initial;">berofix SBE ?? 1 ????? S0 <li style="border-image: initial; padding: 0px; margin:
 0px; border: 0px initial initial;">berofix SBE ?? 2 ????? S0 <li style="border-image: initial;
 padding: 0px; margin: 0px; border: 0px initial initial;">berofix SBE ?? 4 ????? FXS <li
 style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">berofix SBE ??
 2 ????? S0 ??? 2 ????? FXS <li style="border-image: initial; padding: 0px; margin: 0px;
 border: 0px initial initial;">berofix SBE ?? 2 ????? FXO <li style="border-image: initial;
 padding: 0px; margin: 0px; border: 0px initial initial;">berofix SBE ?? 4 ????? FXO <li
 style="border-image: initial; padding: 0px; margin: 0px; border: 0px initial initial;">berofix SBE ??
 2 ????? FXO ??? 1 ????? FXS <li style="border-image: initial; padding: 0px; margin: 0px;
 border: 0px initial initial;">berofix SBE ?? 4 ????? FXO ??? 4 ????? FXS </td> </tr>
 <tr> <td style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;"
 colspan="2" valign="top"> <p style="font-family: Arial, Verdana, 'Helvetica san-serif'; font-size:
 10pt; line-height: 21px; color: #777777; padding-top: 0px; padding-right: 0px; padding-bottom:
 20px; padding-left: 0px; margin: 0px;"><span style="font-size: 11pt; line-height: 115%;
 font-family: Arial, sans-serif;"></p> </td> </tr> </table> <p style="padding-left: 0px;
 margin-left: 0px; font-family: arial; font-size: 12px;">{tab=????????????}</p> <table
 style="width: 595px; height: 195px; font-family: arial; background-color: #ffffff;" border="0"
 cellpadding="0" cellspacing="10"> <tr> <td style="font-size: 11px; padding-left: 0px;
 padding-right: 5px; padding-bottom: 5px;" align="center"> <p style="padding-left: 0px;
 margin-left: 0px; font-family: arial; font-size: 12px;"><strong
 style="font-family: arial, helvetica, sans-serif; font-size: 12pt;"></p> </td> <td
 style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;"
 align="center"><span

style="font-family: arial, helvetica, sans-serif; font-size: 12pt;"></td>
<td style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;"
align="center"></td> <td
style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;"
align="center"> <p></p> </td> </tr> <tr> <td style="font-size: 11px; padding-left: 0px; padding-right: 5px;
padding-bottom: 5px;" align="center"><span
style="font-family: arial, helvetica, sans-serif; font-size: 12pt;"></td>
<td style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;"
align="center"> <p><span style="font-family: arial, helvetica,
sans-serif; font-size: 12pt;"></p> </td> <td style="font-size: 11px;
padding-left: 0px; padding-right: 5px; padding-bottom: 5px;" align="center"> <p><span style="font-family: arial, helvetica, sans-serif; font-size:
12pt;"></p> </td> <td style="font-size: 11px; padding-left: 0px; padding-right:
5px; padding-bottom: 5px;" align="center"> <p><span style="font-family: arial, helvetica, sans-serif; font-size:
12pt;"></p> </td> </tr> <tr> <td style="font-size: 11px; padding-left: 0px;
padding-right: 5px; padding-bottom: 5px;" align="center"></td> <td
style="font-size: 11px; padding-left: 0px; padding-right: 5px; padding-bottom: 5px;"
align="center"></td> <td style="font-size: 11px; padding-left: 0px; padding-right: 5px;
padding-bottom: 5px;" align="center"> <p>◆◆</p> </td> <td style="font-size: 11px;
padding-left: 0px; padding-right: 5px; padding-bottom: 5px;" align="center"></td> </tr>
</table> <p style="padding-left: 0px; margin-left: 0px; font-family: arial; font-size:
12px;">◆◆</p> <p style="padding-left: 0px; margin-left: 0px; font-family:
arial; font-size: 12px;">{tab=????????????}</p> <table style="width: 615px; font-family: arial;
background-color: #ffffff;" border="0" cellpadding="0" cellspacing="10"> <tr> <td
style="font-family: Arial, Helvetica, sans-serif; font-size: 10pt;"> <p style="padding-left: 0px;
margin-left: 0px; font-family: arial; font-size: 12px;"><span style="font-family:
arial, helvetica, sans-serif; font-size: 12pt;">????????????</p>
Codecs: G.723.1 and Annex A, G.729 a/b, G.726, G.711
u/a G.168/G.165 Echo Cancellation with Echo
Path Change Detection, up to 128ms Voice
Activity Detection / Comfort Noise Generation <span style="color:
#808080;">DTMF Digit Detection and Generation <span style="color:
#808080;">T.38 fax relay (v.27ter, V.29, and V.17) <span style="color:
#808080;">SIP User Agent IETF RFC3261 compliant <span style="color:
#808080;">SIP over UDP/TCP with optional TLS support (SIP signalling only)
TDM bridging over 2 berofix devices through PCM bus
interconnection, 8.192 kB/s Operating

